

Scan results for **helphopelive.org**

Accessible

Congratulations! Your webpage is accessible with a score above 85. We'd love to work with you to help close any remaining accessibility gaps.

Sun Jun 1, 2025

 **accessWidget** is detected on the website

#	Element	Relevant	Successes	Failures	Score
1	An H1 heading provides information to screen-reader users about the main topic of the page. Each page should have exactly one H1 heading.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <h1 class="xl-sans white " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1"> Medical fundraising for the expenses insurance doesn't cover </h1>
```

#	Element	Relevant	Successes	Failures	Score
2	HTML heading elements (h1-h6) should contain text content. If they include images or links, those elements must provide alternative text or screen-reader-only text.	Yes	16	0	100

#	Element	Relevant	Successes	Failures	Score
3	Elements that visually function as headings but are not coded with a heading tag should include a role="heading" attribute or be updated to use the correct heading tag	Yes	5	0	100

Code snapshots of successful elements

1 `<p class="teal lg-sans " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" data-acsb-fake-title="true" aria-level="2">“Thanks to the help of this great organization and countless others, ...`

2 `<span class="teal " style=";background-color:#ffffff!important;color:#000000!important;"> $105,025</span>`

3 `<span class="teal " style=";background-color:#ffffff!important;color:#000000!important;"> $5,445</span>`

4 `<p class="md-sans white" role="heading" data-acsb-fake-title="true" aria-level="2"><strong style=";background-color:#ffffff!important;color:#000000!important;">Stay Informed</strong></p>`

5 `<strong style=";background-color:#ffffff!important;color:#000000!important;">Stay Informed</strong>`

#	Element	Relevant	Successes	Failures	Score
4	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	18	0	100

Code snapshots of successful elements

1 `<article class="stepped-content__list-item" onclick="window.open('https://www.mobilityworks.com/');" style="display: inline-block; cursor: pointer;" data-acsb-original-style="display: inline-block; cursor: pointer;" tabindex="0" role="generic"> ...`

2 ` ...`

4 ` ...`

6 ` ...

10 <div class="navigation__primary" role="navigation" aria-label="Header Menu"> <ul id="menu-main-menu" itemscope="" itemtype="http://www.schema.org/SiteNavigationElement" data-acsb-menu...`

2 `<nav class="secondary-nav__navigation" > <a class="menu-login " href=" http s://clients.helphopelive.org " style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Login</a> <a cla s...`

#	Element	Relevant	Successes	Failures	Score
9	Menu items that have a dropdown should include an aria-haspopup="true" attribute.	Yes	2	0	100

Code snapshots of successful elements

1 `<a href="#" data-toggle="dropdown" class="dropdown-toggle nav-link " id="menu-item-dropdown-4669" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="...`

2 `<a href="#" data-toggle="dropdown" class="dropdown-toggle nav-link " id="menu-item-dropdown-4680" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" role="button"><span...`

#	Element	Relevant	Successes	Failures	Score
10	Menu items that have a dropdown should include an "aria-expanded" attribute set to "false" by default, which changes to "true" when the dropdown is opened, and back to "false" when closed.	Yes	2	0	100

Code snapshots of successful elements

1 `<a href="#" data-toggle="dropdown" class="dropdown-toggle nav-link " id="menu-item-dropdown-4669" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="...`

2 `<a href="#" data-toggle="dropdown" class="dropdown-toggle nav-link " id="menu-item-dropdown-4680" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" role="button"><span...`

#	Element	Relevant	Successes	Failures	Score
11	Font icons, SVGs, or images used as spacers, decorations, or when their purpose is already described by other content, should include a <code>role="presentation"</code> or <code>role="none"</code> attribute.	Yes	10	0	100

Code snapshots of successful elements

1 `<a href="#" data-toggle="dropdown" class="dropdown-toggle nav-link " id="menu-item-dropdown-4669" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="...`

2 `<i class="fa fa-search"></i>`

3 `<svg data-name="arrow-right" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 15 12" width="11px" height="9px" aria-hidden="true" > <title style="background-color:#ffffff!important;color:#000000!important;" >...`

4 `<i class="fa fa-facebook"></i>`

5 `<i class="fa fa-twitter " style="background-color:#ffffff!important;color:#000000!important;"></i>`

6 `<i class="fa fa-instagram " style="background-color:#ffffff!important;color:#000000!important;"></i>`

7 `<i class="fa fa-youtube-play " style="background-color:#ffffff!important;color:#000000!important;"></i>`

8 `<i class="fa fa-phone"></i>`

#	Element	Relevant	Successes	Failures	Score
12	Font sizes should be at least 12px to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or percentages.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
13	Letter spacing should not be set below -1px to maintain readability across most font families. This should also be verified when using dynamic units like REM or percentages.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
14	Text elements should meet a minimum contrast ratio of 4.5:1 between the foreground (text color) and the background.	Yes	79	0	100

Code snapshots of successful elements

1 `<span itemprop="name" style=";background-color:#ffffff!important;color:#000000!important;">About</span>`

2 `<span itemprop="name" style=";background-color:#ffffff!important;color:#000000!important;">Impact</span>`

3 `<span itemprop="name" style=";background-color:#ffffff!important;color:#000000!important;">Latest</span>`

4 `<span itemprop="name" style=";background-color:#ffffff!important;color:#000000!important;">Events</span>`

5 `<span itemprop="name" style=";background-color:#ffffff!important;color:#000000!important;">Shop</span>`

6 `<a class="menu-donate " href="https://helphopelive.org/donate/" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Donate</a>`

7 `<a class="menu-get-started " href="https://helphopelive.org/get-started/" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true" tabindex="-1" aria-hidden="true">Get Started</a>`

8 `<a class="menu-login " href=" https://clients.helphopelive.org " style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Login</a>`

9 `<a class="menu-contact-us " href="https://helphopelive.org/contact/" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Contact Us</a>`

10

```
<h1 class="xl-sans white " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1"> Medical fundraising for the expenses insurance doesn't cover </h1>
```

#	Element	Relevant	Successes	Failures	Score
15	An accessibility interface allows visually-impaired users to adjust UI elements like font size, colors, and spacing to suit their needs. While not a compliance requirement, it can help improve accessibility compliance.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
16	Elements that act as buttons but use non-button tags (e.g., span, div, a) should include a role="button" attribute.	Yes	13	0	100

Code snapshots of successful elements

1 `<a href="#" data-toggle="dropdown" class="dropdown-toggle nav-link " id="menu-item-dropdown-4669" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="...`

2 `<a href="#" data-toggle="dropdown" class="dropdown-toggle nav-link " id="menu-item-dropdown-4680" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" role="button"><span...`

3 `<button data-acsb-clickable-contrast-skipped="true" data-custom-button-processed="true" data-acsb-textual-ops="search"><span data-="true" " data--position="before" >Search</span><i class="fa fa-search"></i></button>`

4 `<span...`

3 `<button data-acsb-clickable-contrast-skipped="true" data-custom-button-processed="true" data-acsb-textual-ops="search"><span data-="true" " data--position="before" >Search</span><i class="fa fa-search"></i></button>`

4 `<button type="button" class="button btn btn-teal-o toggle-newsletter " style="background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Sign Up</button>`

#	Element	Relevant	Successes	Failures	Score
18	Form fields should include either an "aria-label" attribute or an associated "label" element to describe the field's purpose (e.g., email, phone, name).	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <input id="find-campaign-input" class="campaign-search__input" type="text" name="" value="" placeholder="Find a Campaign" data-acsb-validation-uuid="find-campaign-input" data-acsb-field-visible="true" aria-invalid="false" aria-required="false" ari...
```

#	Element	Relevant	Successes	Failures	Score
19	aria-describedby and aria-labelledby attributes should reference the ID of an element that either has a text description or an "aria-label" attribute.	Yes	2	0	100

Code snapshots of successful elements

```
1 <ul class="dropdown-menu depth0 acsb-hidden" aria-labelledby="menu-item-dropdown-4669" style=";background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-menu="ul" data-acsb-dropdown="afkzqcbhyxz1"> <li id="menu-ite...
```

```
2 <ul class="dropdown-menu depth0 acsb-hidden" aria-labelledby="menu-item-dropdown-4680" style=";background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-menu="ul" data-acsb-dropdown="aqworq8f9o0b"> <li id="menu-ite...
```

#	Element	Relevant	Successes	Failures	Score
20	All forms should include a submission button built as an input type="submit" or a "button" element, or have a role="button" attribute. The button can be hidden if the form supports submission via the Enter key.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <form id="find-campaign" class="secondary-nav__search_gray-light " action
  = "#" method="post" style=";background-color:#ffffff!important;color:#000000!
  important;" data-acsb-form-uuid="abwahnd6jxl" data-acsb-form-type="search">
  <div> <div cl...
```

#	Element	Relevant	Successes	Failures	Score
21	The title tag in the head section should be present and describe the current webpage accurately. This title appears in the browser tab, search engine results, and helps screen-reader users understand the page's content.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
22	The HTML tag should include a "lang" attribute representing the main language of the webpage to help screen-readers provide accurate pronunciation.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
23	Landmarks like main content and footer should use their corresponding HTML5 elements (<main>, <footer>) or include an "aria-label" and "role" attribute (e.g., role="main" or role="contentinfo"). Landmarks like search and navigation are covered elsewhere.	Yes	2	0	100

Code snapshots of successful elements

1 `<main class="main" role="main"> <div id="page"> <div class="page-header page-header__hero bkg-img lazyloaded acsb-bg-image" style="background-image: url ("https://ik.imagekit.io/si8wvxbpwm/wp-content/uploads/2021/04/HHL-Home PageHeader-resized...`

2 `<footer class="global-footer _black-bkg " role="contentinfo" style=";background-color:#ffffff!important;color:#000000!important;"> <div class="container-flex"> <section class="global-footer__content"> <div class="row footer-mo...`

#	Element	Relevant	Successes	Failures	Score
24	Links should include text that sets expectations about the page they lead to. If empty links are used as layout wrapping elements, provide a description using screen-reader only text or an "aria-label" attribute.	Yes	36	4	90

Code snapshots of successful elements

1 `<a itemprop="url" href="https://helphopelive.org/impact/" class="nav-link" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true"><span itemprop="name" style=";background-color:#ffffff!important;color:#000000!important;" data-cs=`

2 `<a itemprop="url" href="https://helphopelive.org/latest/" class="nav-link" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true"><span itemprop="name" style=";background-color:#ffffff!important;color:#000000!important;" data-cs=`

3 `<a itemprop="url" href="https://helphopelive.org/events/" class="nav-link" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true"><span itemprop="name" style=";background-color:#ffffff!important;color:#000000!important;" data-cs=`

4 `<a class="menu-donate " href="https://helphopelive.org/donate/" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Donate</a>`

5 `<a class="menu-login " href=" https://clients.helphopelive.org " style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Login</a>`

6 `<a class="menu-contact-us " href="https://helphopelive.org/contact/" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Contact Us</a>`

7 `<a class="btn btn-white-o" href="/get-started/" data-custom-button-processed="true"><span class="text " style=";background-color:#ffffff!important;color:#000000!important;"> GET STARTED</span> <span class="arrow " styl...`

- 8 `<a class="btn btn-white-o" href="about/our-advantage/" data-custom-button-processed="true"><span class="text " style=";background-color:#ffffff!important;color:#000000!important;"> LEARN MORE</span> <span class="arr...`
- 9 `<a href="about/our-advantage/#one-on-one-support" class="fw-color-split__list-item" data-custom-button-processed="true"><span style=";background-color:#ffffff!important;color:#000000!important;">Personal Guidance</span></a>`
- 10 `<a href="about/our-advantage/#online-campaign-page" class="fw-color-split__list-item" data-custom-button-processed="true"><span style=";background-color:#ffffff!important;color:#000000!important;">Online Donation Page</span></a>`

Code snapshots of failed elements

- 1 `<a href="https://helphopelive.org/" data-acsb-clickable-contrast-skipped="true" data-custom-button-processed="true"> <svg class="logo-type" width="200px" height="76px" id="Layer_1" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 463 134.17"...`
- 2 `<a href="/campaign/22050/" class="cover" data-acsb-clickable-contrast-skipped="true" data-custom-button-processed="true"></a>`
- 3 `<a href="/campaign/25261/" class="cover" data-acsb-clickable-contrast-skipped="true" data-custom-button-processed="true"></a>`
- 4 `<a href="/campaign/18131/" class="cover" data-acsb-clickable-contrast-skipped="true" data-custom-button-processed="true"></a>`

#	Element	Relevant	Successes	Failures	Score
25	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	1	4	20

Code snapshots of successful elements

```
1 <a href="https://accessibe.com/blog/knowledgebase/screen-reader-guide" target="_blank" rel="noopener" tabindex="-1" data-acsb="sr-trigger" data-="true" style="position: absolute; width: 200px; height: 1px; margin-top: -1px; z-index: -1; border: 0px;...
```

Code snapshots of failed elements

```
1 <a href="https://www.facebook.com/helpopeliveorg/" class="cover" target="_blank" rel="noopener" data-acsb-clickable-contrast-skipped="true" data-custom-button-processed="true"><span data-="true" " data--position="after" >Facebook</span></a>
```

```
2 <a href="https://twitter.com/helpopeliveorg" class="cover" target="_blank" rel="noopener" data-acsb-clickable-contrast-skipped="true" data-custom-button-processed="true"><span data-="true" " data--position="after" >Twitter</span></a>
```

```
3 <a href="https://www.instagram.com/helpopeliveorg/" class="cover" target="_blank" rel="noopener" data-acsb-clickable-contrast-skipped="true" data-custom-button-processed="true"><span data-="true" " data--position="after" >Instagram</span></a>
```

```
4 <a href="https://www.youtube.com/helpopeliveorg/" class="cover" target="_blank" rel="noopener" data-acsb-clickable-contrast-skipped="true" data-custom-button-processed="true"><span data-="true" " data--position="after" >YouTube</span></a>
```

#	Element	Relevant	Successes	Failures	Score
26	Search forms should include a role="search" attribute or be wrapped in an element with this role to indicate a search landmark for screen-readers.	Yes	-	Fail	0

Code snapshots of failed elements

```
1 <form id="find-campaign" class="secondary-nav__search _gray-light " action
  = "#" method="post" style=";background-color:#ffffff!important;color:#000000!
  important;" data-acsb-form-uuid="abwahnd6jx1" data-acsb-form-type="search">
  <div> <div cl...
```

#	Element	Relevant	Successes	Failures	Score
27	The viewport meta tag should enable vision-impaired users to pinch-zoom to at least twice the standard size by including user-scalable="yes" and maximum-scale=2 (or higher) in the content attribute.	Yes	-	Fail	0

Code snapshots of failed elements

```
1 <meta name="viewport" content="width=device-width, user-scalable=no, initial
  -scale=1, maximum-scale=1, minimum-scale=1">
```

#	Element	Relevant	Successes	Failures	Score
28	Heading levels should not be skipped and must follow a consistent hierarchy. For example, you should not use h2 and h4 headings without including an h3 in between.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
29	Active popups should include aria-modal="true" and role="dialog" attributes to help screen-reader users navigate them effectively.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
30	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should have a tabindex attribute set to less than 0 and be dynamically updated to 0 when they become visible.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
31	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
32	Background images that are not just for decoration purposes should have the same treatment as standard images. They should include a role="img" attribute and an alternative text description using an "aria-label" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
33	Figure elements used to display images should have a role="none" attribute, and the image itself should provide a description using the "alt" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
34	Each "area" element within a map tag should have an "alt" attribute that provides an alternative text description, similar to standard images.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
35	Small or hidden tracking pixel images (used for analytics or marketing) should include a role="none" or role="presentation" attribute to exclude them from screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
36	Visually deleted texts (e.g., a previous price on sale items) should include an "aria-label" attribute or a screen-reader only text to indicate that it is deleted.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
37	The main element of breadcrumbs should include a role="navigation" attribute and an "aria-label" to describe its functionality.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
38	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
39	Iframe elements should include a "title" or "aria-label" attribute that explains their purpose, functionality, or destination. If irrelevant, they should be hidden from screen readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
40	Form elements must have unique IDs to ensure that their corresponding labels provide accurate information.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
41	Required form fields should include aria-required="true" to inform screen-reader users of the field's validation.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
42	The validity status of each form element must be represented using the "aria-invalid" attribute with "true" or "false" values, and should update dynamically as the status changes.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
43	Carousels should include an "aria-label" attribute (e.g., carousel or slider) to indicate their functionality. They should also be marked as a landmark for screen-readers with a role="contentinfo" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
44	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
45	A common accessibility mistake is treating carousels as live regions using the "aria-live" attribute with "polite" or "assertive" values. This can cause screen readers to cut off or skip important announcements.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
46	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
47	Tables used for layout purposes should include a role="presentation" attribute to indicate to screen-readers that it is not a data table.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
48	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	

#	Element	Relevant	Successes	Failures	Score
49	Tables without a thead row containing th elements should use the role="rowheader" attribute on td elements in the tr that visually represent the table headings.	No	0	0	

This audit is subject to the [Terms of Service](#)