

Scan results for **cianic.com**

Semi-compliant

Your efforts are noticeable, yet further action is required to meet the Web Content Accessibility Guidelines (WCAG)

It's seems like your website isn't inclusive or accessible to people with disabilities. **Let's change that!**

152

We found 152 issues on your page

Issue severity




Issues detected by category



In the report you'll find the results for dozens of tests focusing mainly on these categories:

- Screen-reader** adjustments (blind users)
- Keyboard navigation** adjustments (motor impaired)
- UI, design and readability** adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	17	12	59

Successful Elements

```
<a href="#elementor-action%3Aaction%3Dpopup%3Aopen%26settings%3DeyJpZCI6IjQ1MzMtLWJ0b2dnbGUiOmZhbHNlfQ%3D%3D" class="elementor-button-link elementor-button elementor-size-sm" role="button" > <span class="elementor-button-content-wrapper"> <span class ...
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 2" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 3" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 4" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 5" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 6" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 7" ></span>
```

```
<button type="submit" class="elementor-button elementor-size-sm" > <span> <span class="elementor-button-icon"> </span> <span class="elementor-button-text">Send Request</span> </span> </button>
```

```
<button type="submit" class="elementor-animation-shrink elementor-button bdt-button bdt-button-primary" name="submit" > <span>Submit</span> </button>
```

Failed Elements

```
<a href="#" class="elementor-item elementor-item-anchor menu-link has-submenu" id="sm-1673052891877425-1" aria-haspopup="true" aria-controls="sm-1673052891877425-2" aria-expanded="false" >Services<span class="sub-arrow"><i class="fas fa-caret-down">< ...
```

```
<div class="elementor-search-form__toggle" > <i aria-hidden="true" class="fas fa-search"></i> <span class="elementor-screen-only">Search</span></div>
```

```
<div class="elementor-element elementor-element-5948995 exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="5948995" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

```
<div class="elementor-star-rating__wrapper" ><div class="elementor-star-rating" title="5/5" itemtype="http://schema.org/Rating" itemscope="" itemprop="reviewRating"><i class="elementor-star-full">☑</i><i class="elementor-star-full">☑</i><i class="ele ...
```

```
<div class="elementor-element elementor-element-f5545a2 elementor-widget-divider-view-line exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-divider" data-id="f5545a2" data-element_type="widget" data-widget_type="divider....
```

```
<div class="elementor-element elementor-element-639bec2 exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="639bec2" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

```
<div class="elementor-element elementor-element-acba385 exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="acba385" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

```
<div class="elementor-element elementor-element-358d7d7 exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="358d7d7" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

```
<div class="elementor-element elementor-element-e952274 exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="e952274" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

```
<div class="elementor-element elementor-element-cc51068 exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="cc51068" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

28

1

97

Successful Elements

```
<a href="#" class="elementor-item elementor-item-anchor menu-link has-submenu" id="sm-1673052891877425-1" aria-haspopup="true" aria-controls="sm-1673052891877425-2" aria-expanded="false" >Services<span class="sub-arrow"><i class="fas fa-caret-down">< ...
```

```
<a href="#elementor-action%3Aaction%3Dpopup%3Aopen%26settings%3DeyJpZCI6IjQ1MzMtLWJ0b2dnbGUiOmZhbHlq%3D%3D" class="elementor-button-link elementor-button elementor-size-sm" role="button" > <span class="elementor-button-content-wrapper"> <span class ...
```

```
<div class="elementor-search-form__toggle" > <i aria-hidden="true" class="fas fa-search"></i> <span class="elementor-screen-only">Search</span></div>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 2" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 3" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 4" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 5" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 6" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 7" ></span>
```

Failed Elements

```
<div class="elementor-element elementor-element-f5545a2 elementor-widget-divider-view-line exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-divider" data-id="f5545a2" data-element_type="widget" data-widget_type="divider....
```

- 3 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

41

7

85

Successful Elements

```
<a href="https://cianic.com/" > Portfolio</a>
```

```
<a href="https://cianic.com/the-pod-blog/" class="elementor-item menu-link" >Pod Blog</a>
```

```
<a href="https://cianic.com/contact/" class="elementor-item menu-link" >Contact</a>
```

```
<a href="tel:+18183344987" >818-334-4987</a>
```

```
<a data-elementor-open-lightbox="yes" data-elementor-lightbox-slideshow="ea301b0" data-elementor-lightbox-title="GoodNews_Website_Design_Cianic_Flower_Shop" e-action-hash="#elementor-action%3Aaction%3Dlightbox%26settings%3DeyJpZCI6NDU5MSwidXJsIjoiaHR...">
```

```
<a data-elementor-open-lightbox="yes" data-elementor-lightbox-slideshow="ea301b0" data-elementor-lightbox-title="LADB_Cianic_Website_Design" data-elementor-lightbox-description="Full Service Media Company Website Redesign " e-action-hash="#elementor-...">
```

```
<a data-elementor-open-lightbox="yes" data-elementor-lightbox-slideshow="ea301b0" data-elementor-lightbox-title="Tacos_Manzano_Cianic_Website_Design" data-elementor-lightbox-description="Restaurant WebsiteDesign by Cianic" e-action-hash="#elementor-a...">
```

```
<a data-elementor-open-lightbox="yes" data-elementor-lightbox-slideshow="ea301b0" data-elementor-lightbox-title="Flowers_El_Ranchiro_Website_Design_Cianic_Flower_Shop" data-elementor-lightbox-description="Website Design for Small Flower Shop Business...">
```

```
<a data-elementor-open-lightbox="yes" data-elementor-lightbox-slideshow="ea301b0" data-elementor-lightbox-title="Circle_G_Movie_Ranch_Cianic_Website_Design" data-elementor-lightbox-description="Western Town Event Location Website Design" e-action-has...">
```

Failed Elements

```
<a class="elementor-icon" href="tel:+18183344987" > <i aria-hidden="true" class="icon icon-phone"></i> </a>
```

```
<a class="elementor-icon elementor-animation-grow" href="https://cianic.com/website-design-development/" > <i aria-hidden="true" class="icon icon-design"></i> </a>
```

```
<a class="elementor-icon elementor-animation-grow" href="https://cianic.com/e-commerce/" > <i aria-hidden="true" class="icon icon-shopping-cart-1"></i> </a>
```

```
<a class="elementor-icon elementor-animation-grow" href="https://cianic.com/hosting-maintenance-security-speed/" > <i aria-hidden="true" class="icon icon-server-2"></i> </a>
```

```
<a class="elementor-icon elementor-animation-grow" href="https://cianic.com/website-fixes-tweaks/" > <i aria-hidden="true" class="icon icon-cogwheel"></i> </a>
```

```
<a class="elementor-icon elementor-animation-grow" href="https://cianic.com/website-design-development/#gbp" > <i aria-hidden="true" class="icon icon-store"></i>
</a>
```

```
<a class="elementor-icon elementor-animation-grow" href="https://cianic.com/graphic-design/" > <i aria-hidden="true" class="icon icon-pen_shape"></i> </a>
```

4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab. Yes 3 0 100

Successful Elements

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-youtube elementor-repeater-item-cdc84e5" href="https://www.youtube.com/channel/UCj14Rzrc4zmLbiL8g-TOENw" target="_blank" > <span class="elementor-screen-only">Youtube</span>
<i clas ...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-facebook elementor-repeater-item-77d27da" href="https://www.facebook.com/thisiscianic/?notif_id=1654451104180430&amp;notif_t=page_user_activity&amp;ref=notif" target="_blank" > <spa ...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-instagram elementor-repeater-item-95f7b1e" href="https://www.instagram.com/thisiscianic/?hl=en" target="_blank" > <span class="elementor-screen-only">Instagram</span> <i class="fab ...
```

5 An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title. Yes Pass - 100

Successful Elements

```
<h1 class="elementor-heading-title elementor-size-default">Build Your WordPress Business Website With Cianic</h1>
```

6 HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text. Yes 20 0 100

7 Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed. No 0 4 0

Failed Elements

```
<p class="elementor-heading-title elementor-size-default">No <i>Flukes</i> Her  
e.....</p>
```

```
<p class="elementor-heading-title elementor-size-default">We <i>whale</i> always  
</p>
```

```
<p class="elementor-heading-title elementor-size-default">Be here for you</p>
```

```
<p class="elementor-heading-title elementor-size-default">Become a part of our Po  
d!</p>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100
---	--	-----	------	---	-----

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	13	11	54
---	---	-----	----	----	----

Successful Elements

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go  
to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex  
="0" role="button" aria-label="Go to slide 2" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go  
to slide 3" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go  
to slide 4" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go  
to slide 5" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go  
to slide 6" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go  
to slide 7" ></span>
```

Failed Elements

```
<div class="elementor-search-form__toggle" > <i aria-hidden="true" class="fas fa-  
search"></i> <span class="elementor-screen-only">Search</span></div>
```

```
<div class="elementor-element elementor-element-5948995 exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="5948995" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

```
<div class="elementor-star-rating__wrapper" ><div class="elementor-star-rating" title="5/5" itemtype="http://schema.org/Rating" itemscope="" itemprop="reviewRating"><i class="elementor-star-full">☑</i><i class="elementor-star-full">☑</i><i class="ele ...
```

```
<div class="elementor-element elementor-element-f5545a2 elementor-widget-divider-view-line exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-divider" data-id="f5545a2" data-element_type="widget" data-widget_type="divider....
```

```
<div class="elementor-element elementor-element-639bec2 exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="639bec2" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

```
<div class="elementor-element elementor-element-acba385 exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="acba385" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

```
<div class="elementor-element elementor-element-358d7d7 exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="358d7d7" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

```
<div class="elementor-element elementor-element-e952274 exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="e952274" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

```
<div class="elementor-element elementor-element-cc51068 exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="cc51068" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

```
<div class="elementor-element elementor-element-d522e0b exad-sticky-section-no exad-glass-effect-no elementor-widget elementor-widget-heading" data-id="d522e0b" data-element_type="widget" data-widget_type="heading.default" ><div class="elementor-widg ...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	No	-	Fail	0
----	---	----	---	------	---

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0
----	--	----	---	---

12	Every page should include hidden links that by clicking Yes on them (either using keyboard navigation or a screen- reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Pass	-	100
----	---	------	---	-----

Successful Elements

```
<a class="skip-link screen-reader-text" href="#content" role="link" title="Skip to content" > Skip to content</a>
```

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0
----	---	----	---	---

14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0
----	---	----	---	---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<nav migration_allowed="1" migrated="0" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-none"><ul id="menu-1-fe39480" class="elementor-nav-menu" data-smartmenus-id="1673052891877425" ><li ...
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<a href="#" class="elementor-item elementor-item-anchor menu-link has-submenu" id="sm-1673052891877425-1" aria-haspopup="true" aria-controls="sm-1673052891877425-2" aria-expanded="false" >Services<span class="sub-arrow"><i class="fas fa-caret-down">< ...
```

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<a href="#" class="elementor-item elementor-item-anchor menu-link has-submenu" id="sm-1673052891877425-1" aria-haspopup="true" aria-controls="sm-1673052891877425-2" aria-expanded="false" >Services<span class="sub-arrow"><i class="fas fa-caret-down">< ...
```

18

Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.

17

6

74

Successful Elements

```

```

```

```

Failed Elements

```

```

```

```

```

```

```

```

```

```

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0
----	---	----	---	---

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	64	11	85
----	---	-----	----	----	----

Successful Elements

```
<span class="sub-arrow" ><i class="fas fa-caret-down" ></i></span>
```

```
<i class="fas fa-caret-down" ></i>
```

```
<i aria-hidden="true" class="icon icon-phone"></i>
```

```
<i aria-hidden="true" class="fas fa-search"></i>
```

```
<i aria-hidden="true" class="eicon-close" ></i>
```

```
<i aria-hidden="true" class="icon icon-phone" ></i>
```

```
<i aria-hidden="true" class="fas fa-search" ></i>
```

```
<span class="swiper-notification" aria-live="assertive" aria-atomic="true" ></span>
```

```
<span class="elementor-icon-list-icon"> <i aria-hidden="true" class="fas fa-check" ></i> </span>
```

```
<i aria-hidden="true" class="fas fa-check"></i>
```

Failed Elements

```
<span class="sub-arrow"><i class="fas fa-caret-down"></i></span>
```

```
<i class="fas fa-caret-down"></i>
```

```
<span class="elementor-divider-separator"> </span>
```

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 1000 100" preserveAspectRatio="none" > <path class="elementor-shape-fill" opacity="0.33" d="M473,67.3c-203.9,88.3-263.1-34-320.3,0C66,119.1,0,59.7,0,59.7V0h1000v59.7 c0,0-62.1,26.1-94.9,29.3 c-32.8, ...
```

```
<i class="fab fa-youtube"></i>
```

```
<i class="fab fa-facebook"></i>
```

```
<i class="fab fa-instagram"></i>
```

```
<span id="elementor-device-mode" class="elementor-screen-only" ></span>
```

```
<svg style="display: none;" class="e-font-icon-svg-symbols" ></svg>
```

Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.

Successful Elements

```
<figure class="swiper-slide-inner">
```

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Email" required="required" aria-required="true">
```

```
<input size="1" type="tel" name="form_fields[message]" id="form-field-message" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Phone Number" required="required" aria-required="true" pattern="[0-9()#&+*-=.]+&#x2013;" title= ...
```

```
<input size="1" type="text" name="form_fields[name]" id="form-field-name" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Name" required="required" aria-required="true">
```

```
<input size="1" type="tel" name="form_fields[field_69bf9a8]" id="form-field-field_69bf9a8" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Phone Number" pattern="[0-9()#&+*-=.]+&#x2013;" title="Only numbers and phone chara ...
```

```
<textarea class="elementor-field-textual elementor-field elementor-size-sm" name="form_fields[message]" id="form-field-message" rows="4" placeholder="Message"></textarea>
```

Failed Elements

```
<input placeholder="SEARCH" class="elementor-search-form__input" type="search" name="s" title="Search" value="">
```

```
<input type="text" name="name" id="user_namebd09f81" placeholder="Your Name" class="bdt-input bdt-form-small" required="required">
```

```
<input type="email" name="email" id="emailbd09f81" placeholder="example@email.com" class="bdt-input bdt-form-small" required="required">
```

25 Form elements cannot have the same ID, or else their No 0 6 0
corresponding label will provide false information.

Failed Elements

```
<input size="1" type="text" name="form_fields[name]" id="form-field-name" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Name" required="required" aria-required="true">
```

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Email" required="required" aria-required="true">
```

```
<textarea class="elementor-field-textual elementor-field elementor-size-sm" name="form_fields[message]" id="form-field-message" rows="4" placeholder="Message"></textarea>
```

```
<input size="1" type="text" name="form_fields[name]" id="form-field-name" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Your Name" required="required" aria-required="true">
```

```
<input size="1" type="tel" name="form_fields[message]" id="form-field-message" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Phone Number" required="required" aria-required="true" pattern="[0-9()#&+*-=.]+"" title= ...
```

26 Required form fields should include an "aria-required" No 0 3 0
attribute that equals to "true" so blind users using
screen-readers know their validation.

Failed Elements

```
<input type="text" name="name" id="user_namebd09f81" placeholder="Your Name" class="bdt-input bdt-form-small" required="required">
```

```
<input type="email" name="email" id="emailbd09f81" placeholder="example@email.com" class="bdt-input bdt-form-small" required="required">
```

```
<input size="1" type="tel" name="form_fields[field_69bf9a8]" id="form-field-field_69bf9a8" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Phone Number" pattern="[0-9()#&+*-=.]+"" title="Only numbers and phone chara ...
```

27 The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes. No 0 0

28 aria-describedby and aria-labelledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute. Yes 4 0 100

Successful Elements

```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-1673052891877425-2" role="group" aria-hidden="true" aria-labelledby="sm-1673052891877425-1" aria-expanded="false" ><li class="menu-item menu-item-type-post_type menu-item-object-page menu-item- ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-16730528918813792-2" role="group" aria-hidden="true" aria-labelledby="sm-16730528918813792-1" aria-expanded="false" ><li class="menu-item menu-item-type-post_type menu-item-object-page menu-item- ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-1673052891912452-2" role="group" aria-hidden="true" aria-labelledby="sm-1673052891912452-1" aria-expanded="false" ><li class="menu-item menu-item-type-post_type menu-item-object-page menu-item- ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-16730528919152476-2" role="group" aria-hidden="true" aria-labelledby="sm-16730528919152476-1" aria-expanded="false" ><li class="menu-item menu-item-type-post_type menu-item-object-page menu-item- ...
```

29 All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key. Yes 3 1 75

Successful Elements

```
<form class="elementor-form" method="post" name="New Form"> <input type="hidden" name="post_id" value="540" > <input type="hidden" name="form_id" value="5fa2f8b" > <input type="hidden" name="referrer_title" value="CIANIC | WordPress Web Design and Dev ...
```

```
<form class="bdt-contact-form-form bdt-form-stacked bdt-grid bdt-grid-small without-recaptcha" data-bdt-grid="" action="https://cianic.com/wp-admin/admin-ajax.php" method="post"><div class="bdt-field-group elementor-field-required bdt-width-1-1 bdt-f ...
```

```
<form class="elementor-form" method="post" name="Footer Contact Form"> <input type="hidden" name="post_id" value="1141" > <input type="hidden" name="form_id" value="ddf06a5" > <input type="hidden" name="referrer_title" value="CIANIC | WordPress Web De ...
```

Failed Elements

```
<form class="elementor-search-form" role="search" action="https://cianic.com" method="get"><div class="elementor-search-form__toggle" > <i aria-hidden="true" class="fas fa-search"></i> <span class="elementor-screen-only" >Search</span></div><div class="...
```

- 30 Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers. Yes Pass - 100

Successful Elements

```
<form class="elementor-search-form" role="search" action="https://cianic.com" method="get"><div class="elementor-search-form__toggle" > <i aria-hidden="true" class="fas fa-search"></i> <span class="elementor-screen-only" >Search</span></div><div class="...
```

- 31 The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. Yes Pass - 100

Successful Elements

```
<title>CIANIC | WordPress Web Design and Development</title>
```

- 32 The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Yes Pass - 100

Successful Elements

```
<html lang="en-US" data-uw-w-loader=""><head><base href="https://cianic.com"><meta name="aceWebsite" content="cianic.com"><meta name="aceClient" content="false"><meta name="aceEmbedder" content="https://acsbase.com"><meta name="acsbaseAceBase" content="...
```

- 33 The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. Yes Pass - 100

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.

Successful Elements

```
<main id="main" class="site-main"><article class="post-540 page type-page status-publish has-post-thumbnail ast-article-single" id="post-540" itemtype="https://schema.org/CreativeWork" itemscope="itemscope"><header class="entry-header ast-header-with ...
```

Failed Elements

```
<div data-elementor-type="footer" data-elementor-id="1141" class="elementor elementor-1141 elementor-location-footer"><section class="elementor-section elementor-top-section elementor-element elementor-element-c13abc4 elementor-section-boxed elemento ...
```

Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.

Successful Elements

```
<div class="elementor-testimonial__icon elementor-icon elementor-icon-google"><i aria-hidden="true" class="fab fa-google"></i><span class="elementor-screen-only">Read More</span></div>
```

```
<i aria-hidden="true" class="fab fa-google"></i>
```

```
<div class="eael-filter-gallery-container eael-filter-gallery-grid" data-images-per-page="" data-total-gallery-items="16" data-nomore-item-text="" data-settings="{&quot;grid_style&quot;:&quot;grid&quot;;&quot;popup&quot;:&quot;buttons&quot;;&quot;duration&quot;:dur ...
```

```
<div class="eael-filterable-gallery-item-wrap eael-cf-websites" style="position: absolute; left: 0%; top: 0px;"><div class="eael-gallery-grid-item" ><div class="gallery-item-thumbnail-wrap"><div class="gallery-item-thumbnail-wrap"><div class="eael-gallery-grid-item" ><div class="gallery-item-thumbnail-wrap"><div class="gallery-item-thumbnail-wrap">Services<span class="sub-arrow"><i class="fas fa-caret-down">< ...
```

```
<a href="https://cianic.com/portfolio/" class="elementor-item menu-link" >Portfolio</a>
```

```
<a href="https://cianic.com/the-pod-blog/" class="elementor-item menu-link" >Pod Blog</a>
```

```
<a href="https://cianic.com/contact/" class="elementor-item menu-link" >Contact</a>
```

```
<a href="tel:+18183344987" >818-334-4987</a>
```

```
<h3 class="elementor-heading-title elementor-size-default">Websites that convert visitors into leads</h3>
```

```
<h1 class="elementor-heading-title elementor-size-default">Build Your WordPress Business Website With Cianic</h1>
```

```
<p>Every business wants to be online, small or large, start up or idea. Stand out from the competition and make your business look it's best with a stunning professional WordPress website design. With Cianic website design services, you'll get effect ...
```

```
<span class="elementor-icon-list-text">Honesty, Integrity, Transparency, Trust</span>
```

```
<span class="elementor-icon-list-text">Simple, Beautiful, Effective Website Design</span>
```

Failed Elements

```
<span class="elementor-button-text">Get A Proposal</span>
```

```
<span class="elementor-button-text">Learn More</span>
```

```
<h2 class="elementor-heading-title elementor-size-default">Top-Rated San Fernando Valley Website Designer</h2>
```

```
<h3 class="elementor-heading-title elementor-size-default">Honesty, Integrity, Transparency, & Trust</h3>
```

```
<p>Providing you with a High Quality Business Website is just the beginning. We know in today's business world and specifically in the digital space that honesty, integrity, transparency, and trust are extremely hard to come by or non-existent. Like a ...
```

```
<em>loyalty</em>
```

```
<em>commitment</em>
```

```
<em>transparency</em>
```

```
<p>- Ryan J. Gonzalez (<em>founder</em>)</p>
```

```
<em>founder</em>
```

38

Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".

No

0

0

39 Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. No 0 0

40 A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements. No 0 0

41 Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text. Yes 13 0 100

Successful Elements

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 2" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 3" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 4" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 5" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 6" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 7" ></span>
```

42 Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table. No 0 0

43 If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation". No 0 0

44 Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings. No 0 0

45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	2	0

100

Successful Elements

```
<iframe title="reCAPTCHA" src="https://www.google.com/recaptcha/api2/anchor?ar=1&
k=6LdFqcMhAAAAAMSAjJHc499M5f1QZifaAWzYozCX&co=aHR0cHM6Ly9hY3NiYWNLmNvbTo
0NDM.&hl=en&type=v3&v=5qcenVbrh0y8zihcc2aHOWD4&size=invisible&
p;badge= ...
```

```
<iframe title="Scanning alert" style="width:100%!important;height:100%!important;
position:fixed!important;left:0!important;right:0!important;top:0!important;botto
m:0!important;z-index:999999" src="https://cdn.userway.org/widgetapp/scan_error.h
tml" >< ...
```