


Scan results for southlandinginn.com

Compliant

Great news! Based on our scan, your webpage is accessible and conforms with WCAG standards.

Your website is **accessible!**



3%


Congratulations!

Your website is among the 3% of inclusive and accessible websites globally. Well done!

● Inclusive websites ● Not inclusive websites

In the report you'll find the results for dozens of tests focusing mainly on these categories:

- ✓ **Screen-reader** adjustments (blind users)
- ✓ **Keyboard navigation** adjustments (motor impaired)
- ✓ **UI, design and readability** adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	16	0	100

Successful Elements

```
<button class="slick-prev slick-arrow" aria-label="Previous" type="button" style="" >Previous</button>
```

```
<button class="slick-next slick-arrow" aria-label="Next" type="button" style="" >Next</button>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer" role="button" tabindex="0" >Spendy</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-2" role="button" tabindex="0" >Thirsty</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-3" role="button" tabindex="0" >Hungry</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-4" role="button" tabindex="0" >Energetic</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-5" role="button" tabindex="0" >Curious</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-6" role="button" tabindex="0" >Artsy</label>
```

```
<button type="button" role="tab" id="slick-slide-control00" aria-controls="slick-slide00" aria-label="1 of 5" tabindex="-1" >1</button>
```

```
<button type="button" role="tab" id="slick-slide-control01" aria-controls="slick-slide01" aria-label="2 of 5" tabindex="0" aria-selected="true" >2</button>
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	16	0	100
---	---	-----	----	---	-----

Successful Elements

```
<button class="slick-prev slick-arrow" aria-label="Previous" type="button" style="" >Previous</button>
```

```
<button class="slick-next slick-arrow" aria-label="Next" type="button" style="" >
Next</button>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer" role="button" ta
bindex="0" >Spendy</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-2" role="button"
tabindex="0" >Thirsty</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-3" role="button"
tabindex="0" >Hungry</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-4" role="button"
tabindex="0" >Energetic</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-5" role="button"
tabindex="0" >Curious</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-6" role="button"
tabindex="0" >Artsy</label>
```

```
<button type="button" role="tab" id="slick-slide-control00" aria-controls="slick-
slide00" aria-label="1 of 5" tabindex="-1" >1</button>
```

```
<button type="button" role="tab" id="slick-slide-control01" aria-controls="slick-
slide01" aria-label="2 of 5" tabindex="0" aria-selected="true" >2</button>
```

3 Links should include text that is setting expectations toYes what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

89

0

100

Successful Elements

```
<a class="scroller__link meta color--white" href="https://southlandinginn.com/wp-
content/uploads/2023/02/south-landing-inn_events.pdf" target="_blank" rel="noopen
er" aria-label="opens in new window" > View our current events &amp; p ...
```

```
<a class="nav__link" href=" ../#the-hotel" >The Hotel</a>
```

```
<a class="nav__link" href=" ../#the-rooms" >The Rooms</a>
```

```
<a href="/" >  </a>
```

```
<a class="nav__link" href=" ../#events" >Events</a>
```

```
<a class="nav__link" href=" ../#explore" >Explore</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#checkin=2021-04-27&checkout=2021-04-28" target="_blank" class="btn-primary btn-hero" rel="noopener" aria-label="opens in new window" >Book Now</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#checkin=2021-04-28&checkout=2021-04-29" rel="noopener" aria-label="opens in new window" class="btn-large" target="_blank" ><span class="hero__btn">Book Your Visit With Us</span></a>
```

```
<a href="#room-two" class="room-gallery__photos bkgd--submarine" tabindex="0" >More Photos</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#room_type=2&checkin=2021-06-07&checkout=2021-06-08" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer noopener" aria-label="opens in new window" tabindex="0" >Book ...
```

- 4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

47

0

100

Successful Elements

```
<a class="scroller__link meta color--white" href="https://southlandinn.com/wp-content/uploads/2023/02/south-landing-inn_events.pdf" target="_blank" rel="noopener" aria-label="opens in new window" > View our current events & p ...
```

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#checkin=2021-04-27&checkout=2021-04-28" target="_blank" class="btn-primary btn-hero" rel="noopener" aria-label="opens in new window" >Book Now</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#checkin=2021-04-28&checkout=2021-04-29" rel="noopener" aria-label="opens in new window" class="btn-large" target="_blank" ><span class="hero__btn">Book Your Visit With Us</span></a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#room_type=2&checkin=2021-06-07&checkout=2021-06-08" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer noopener" aria-label="opens in new window" tabindex="0" >Book ...
```

```
<a href="https://www.lakeshoreantiques.ca/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

```
<a href="https://www.bloomandcompany.ca/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

```
<a href="https://antiquesoncreek.com/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

```
<a href="https://www.southbrook.com/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

```
<a href="https://kewvineyards.com/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

```
<a href="http://www.thegrist.ca/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100
---	--	-----	------	---	-----

Successful Elements

```
<h1 class="h2" style="color: rgb(33, 54, 44);">A Chic Eclectic Inn Steeped in History</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	11	0	100
---	---	-----	----	---	-----

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	Yes	Pass	-	100
---	--	-----	------	---	-----

Successful Elements

```
<span class="h4 block m-b-10" role="heading">4.4 Star<br>Reviews</span>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100
---	--	-----	------	---	-----

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100
---	---	-----	------	---	-----

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	No	-	Fail	0
----	---	----	---	------	---

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	
----	--	----	---	---	--

Every page should include hidden links that by clicking Yes on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.

Successful Elements

```
<a class="skip-to-content-link" href="#main" role="button" > Skip to content </a>
```

```
<a href="#room-six" class="room-gallery__photos bkgd--submarine" tabindex="-1" >More Photos</a>
```

```
<a href="#room-one" class="room-gallery__photos bkgd--submarine" tabindex="-1" >More Photos</a>
```

```
<a href="#room-three" class="room-gallery__photos bkgd--submarine" tabindex="-1" >More Photos</a>
```

```
<a href="#room-four" class="room-gallery__photos bkgd--submarine" tabindex="-1" >More Photos</a>
```

```
<a href="#room-five" class="room-gallery__photos bkgd--submarine" tabindex="-1" >More Photos</a>
```

```
<a href="#room-two" class="room-gallery__photos bkgd--submarine" tabindex="-1" >More Photos</a>
```

```
<a href="#room-gallery" class="light-modal-close-icon" aria-label="close" >  </a>
```

```
<a href="#room-gallery" class="light-modal-close-icon" aria-label="close" >  </a>
```

Failed Elements

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#room_type=RIV&checkin=2021-06-07&checkout=2021-06-08" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer noopener" aria-label="opens in new window" tabindex="-1" > ...
```

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#room_type=1&checkin=2021-06-07&checkout=2021-06-08" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer noopener" aria-label="opens in new window" tabindex="-1" >Bo ...
```

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#room_type=3&checkin=2021-06-07&checkout=2021-06-08" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer noopener" aria-label="opens in new window" tabindex="-1" >Bo ...
```

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#room_type=4&checkin=2021-06-07&checkout=2021-06-08" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer noopener" aria-label="opens in new window" tabindex="-1" >Bo ...
```

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#room_type=5&checkin=2021-06-07&checkout=2021-06-08" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer noopener" aria-label="opens in new window" tabindex="-1" >Bo ...
```

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#room_type=2&checkin=2021-06-07&checkout=2021-06-08" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer noopener" aria-label="opens in new window" tabindex="-1" >Bo ...
```

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0
----	---	----	---	---

14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0
----	---	----	---	---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	2	0	100
----	--	-----	---	---	-----

Successful Elements

```
<nav class="footer__left-menu m-t-20--sm"> <span class="meta m-b-20">Company</span> <ul class="list list__no-bullets" > <li><a href="/local-bounty" >Local Bounty</a></li> <li><a href="/faq" >FAQ</a></li> <li><a href="/contact-us" >Con ...
```

```
<nav class="footer__right-menu"> <span class="meta m-b-20">Social</span> <ul class="list list__no-bullets" > <li> <a href="https://www.facebook.com/southlandingin/" target="_blank" rel="noreferrer noopener" aria-label="opens in new win ...
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0
----	--	----	---	---

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0
----	--	----	---	---

Successful Elements

```

```

```
<iframe name="f384bbe9e0636c8" width="1000px" height="1000px" data-testid="fb:custommerchat Facebook Social Plugin" title="" frameborder="0" allowtransparency="true" allow ...
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0
----	--	----	---	---

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0
----	--	----	---	---

23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0
----	---	----	---	---

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	Pass	-
----	--	-----	------	---

100

Successful Elements

```
<input type="email" value="" name="EMAIL" class="required email" placeholder="email address" id="mce-EMAIL" aria-required="true">
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0
----	--	----	---	---

26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0
----	---	----	---	---

27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0
----	---	----	---	---

28	aria-describedby and aria-labelledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	5	6	45
----	--	-----	---	---	----

Successful Elements

```
<div class="testimonial__slide slick-slide" data-slick-index="0" aria-hidden="true" style="width: 1000px;" tabindex="-1" role="tabpanel" id="slick-slide00" aria-describedby="slick-slide-control00"> <p class="meta">WHAT OUR GUESTS ARE SA ...
```

```
<div class="testimonial__slide slick-slide slick-current slick-active" data-slick-index="1" aria-hidden="false" style="width: 1000px;" tabindex="0" role="tabpanel" id="slick-slide01" aria-describedby="slick-slide-control01"> <p class="m ...
```

```
<div class="testimonial__slide slick-slide" data-slick-index="2" aria-hidden="true" style="width: 1000px;" tabindex="-1" role="tabpanel" id="slick-slide02" aria-describedby="slick-slide-control02"> <p class="meta" >WHAT OUR GUESTS ARE S ...
```

```
<div class="testimonial__slide slick-slide" data-slick-index="3" aria-hidden="true" style="width: 1000px;" tabindex="-1" role="tabpanel" id="slick-slide03" aria-describedby="slick-slide-control03" > <p class="meta" >WHAT OUR GUESTS ARE ...
```

```
<div class="testimonial__slide slick-slide" data-slick-index="4" aria-hidden="true" style="width: 1000px;" tabindex="-1" role="tabpanel" id="slick-slide04" aria-describedby="slick-slide-control04" > <p class="meta" >WHAT OUR GUESTS ARE ...
```

Failed Elements

```
<div class="light-modal" id="room-six" role="dialog" aria-labelledby="gallery-modal" aria-hidden="false" > <div class="light-modal-content animated zoomInUp" > <a href="#room-gallery" class="light-modal-close-icon" aria-label="close" > < ...
```

```
<div class="light-modal" id="room-one" role="dialog" aria-labelledby="light-modal-label" aria-hidden="false" > <div class="light-modal-content animated zoomInUp" > <a href="#room-gallery" class="light-modal-close-icon" aria-label="close" > ...
```

```
<div class="light-modal" id="room-two" role="dialog" aria-labelledby="light-modal-label" aria-hidden="false" > <div class="light-modal-content animated zoomInUp" > <a href="#room-gallery" class="light-modal-close-icon" aria-label="close" > ...
```

```
<div class="light-modal" id="room-three" role="dialog" aria-labelledby="light-modal-label" aria-hidden="false" > <div class="light-modal-content animated zoomInUp" > <a href="#room-gallery" class="light-modal-close-icon" aria-label="close" > ...
```

```
<div class="light-modal" id="room-four" role="dialog" aria-labelledby="light-modal-label" aria-hidden="false" > <div class="light-modal-content animated zoomInUp" > <a href="#room-gallery" class="light-modal-close-icon" aria-label="close" > ...
```

```
<div class="light-modal" id="room-five" role="dialog" aria-labelledby="light-modal-label" aria-hidden="false" > <div class="light-modal-content animated zoomInUp" > <a href="#room-gallery" class="light-modal-close-icon" aria-label="close" > ...
```

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100
----	---	-----	------	---	-----

Successful Elements

```
<form action="https://southlandinn.us18.list-manage.com/subscribe/post?u=23123fb717010a2ee678500518&id=6d5a97eed6" method="post" id="mc-embedded-subscribe-form" name="mc-embedded-subscribe-form" class="validate" target="_blank" novalidate="" > ...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0
----	---	----	---	---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<title>South Landing Inn | A Chic Eclectic Inn Steeped in History</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<html lang="en-CA" class="no-htmlimports no-flash no-proximity sizes transferables blobconstructor blob-constructor no-applicationcache eventlistener no-ambientlight audio canvas canvastext contenteditable no-contextmenu cors cookies customelements" > ...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<meta name="viewport" content="width=device-width, minimal-ui, initial-scale=1.0">
```

34

Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.

3

0

100

Successful Elements

```
<main class="m-0" id="main"> <section class="intro m-tb-50--sm m-tb-120--md" id="the-hotel"> <div class="grid__container"> <div class="grid__row grid__row--vcenter grid__row--hcenter"> <div class="grid__cell grid__cell__small--1 ...
```

```
<footer class="border-tb"> <div class="grid__container"> <div class="grid__row grid__row--vcenter grid__row--hcenter p-tb-40"> <div class="grid__cell grid__cell__small--12 grid__cell__medium--3 text-center"> <div class="f ...
```

35

Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.

No

0

4

0

Successful Elements

```
<button class="slick-prev slick-arrow" aria-label="Previous" type="button" style="" >Previous</button>
```

```
<button class="slick-next slick-arrow" aria-label="Next" type="button" style="" >Next</button>
```

36

Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.

Pass

-

100

37

Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.

Yes

98

132

43

Successful Elements

```
<a class="scroller__link meta color--white" href="https://southlandinginn.com/wp-content/uploads/2023/02/south-landing-inn_events.pdf" target="_blank" rel="noopener" aria-label="opens in new window" > View our current events &amp; p ...
```

```
<div class="splw-lite-header-title">Queenston, CA</div>
```

```
<div class="splw-lite-current-time">March 17 </div>
```

```
<span class="cur-temp"> 9°</span>
```

```
<a class="nav__link" href=" ../#the-hotel" >The Hotel</a>
```

```
<a class="nav__link" href=" ../#the-rooms" >The Rooms</a>
```

```
<a class="nav__link" href=" ../#events" >Events</a>
```

```
<a class="nav__link" href=" ../#explore" >Explore</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/1VkejS#checkin=2021-04-27&check  
out=2021-04-28" target="_blank" class="btn-primary btn-hero" rel="noopener" a  
ria-label="opens in new window" >Book Now</a>
```

```
<span class="hero__btn">Book Your Visit With Us</span>
```

Failed Elements

```
<h1 class="h2" style="color: rgb(33, 54, 44);">A Chic Eclectic Inn Steeped in His  
tory</h1>
```

```
<p class="intro">Nestled in Queenston on the southern edge of the town of Niagara  
-on-the-Lake, The South Landing Inn was built in the early 1800s and boasts a 200  
-year history as one of Niagara-on-the-Lake's cornerstone hotels for tourists of  
the reg ...
```

```
<p>Overlooking the Niagara River, this casual historic inn provides its thousands  
of guests every year the quiet, unspoiled charm of a chic, eclectic country inn w  
ithin immediate reach of Niagara Falls and the Niagara region's restaurants, perf  
orming ...
```

```
<h2 class="h1">The Rooms</h2>
```

```
<p class="intro m-b-30--sm">The South Landing Inn has 6 different rooms, each fur  
nished with antiques & Persian carpets, with access to our public patios, bal  
conies, and greenspace. Each room has full access to the hotel lounge, guest pant  
ry, and ...
```

```
<span class="time">4:00pm</span>
```

```
<span class="time">11:00am</span>
```

```
<button class="slick-prev slick-arrow" aria-label="Previous" type="button" style  
="" >Previous</button>
```

```
<h3 class="m-b-20">Room Two</h3>
```

```
<li>One King Bed</li>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0
----	--	----	---	---

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	4	0	100
----	---	-----	---	---	-----

Successful Elements

```
<button class="slick-prev slick-arrow" aria-label="Previous" type="button" style="" >Previous</button>
```

```
<button class="slick-next slick-arrow" aria-label="Next" type="button" style="" >Next</button>
```

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0
----	---	----	---	---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	5	0	100
----	---	-----	---	---	-----

Successful Elements

```
<button type="button" role="tab" id="slick-slide-control00" aria-controls="slick-slide00" aria-label="1 of 5" tabindex="-1" >1</button>
```

```
<button type="button" role="tab" id="slick-slide-control01" aria-controls="slick-slide01" aria-label="2 of 5" tabindex="0" aria-selected="true" >2</button>
```

```
<button type="button" role="tab" id="slick-slide-control02" aria-controls="slick-slide02" aria-label="3 of 5" tabindex="-1" >3</button>
```

```
<button type="button" role="tab" id="slick-slide-control03" aria-controls="slick-slide03" aria-label="4 of 5" tabindex="-1" >4</button>
```

```
<button type="button" role="tab" id="slick-slide-control04" aria-controls="slick-slide04" aria-label="5 of 5" tabindex="-1" >5</button>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	2	1

67

Successful Elements

```
<iframe src="https://snazzymaps.com/embed/315664" width="100%" height="100%" style="border:none;" class="m-t-40--sm" title="Google Map of The South Landing Inn location"></iframe>
```

```
<iframe id="thn-cross-store" sandbox="allow-scripts allow-same-origin" style="display: none; position: absolute; top: -999px; left: -999px;" src="https://www.thehotelsnetwork.com/widget/core/latest/hub/" ></iframe>
```

Failed Elements

```
<iframe name="f384bbe9e0636c8" width="1000px" height="1000px" data-testid="fb:customerchat Facebook Social Plugin" title="" frameborder="0" allowtransparency="true" allowfullscreen="true" scrolling="no" allow="encrypted-media" src="https://www.facebo ...
```