

Scan results for blvmpyjo.elementor.cloud

! Semi-compliant

blvmpyjo.elementor.cloud has some significant accessibility issues. Make your website accessible and mitigate legal risk now.

It's seems like your website isn't inclusive or accessible to people with disabilities. **Let's change that!**


46

We found 46 issues on your page

Issue severity




Issues detected by category



In the report you'll find the results for dozens of tests focusing mainly on these categories:

- Screen-reader** adjustments (blind users)
- Keyboard navigation** adjustments (motor impaired)
- UI, design and readability** adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	14	0	100

Successful Elements

```
<button class="cky-btn cky-btn-customize" aria-label="Customize" data-cky-tag="settings-button" style="color:#1863dc;background-color:transparent;border-color:#1863dc" >Customize</button>
```

```
<button class="cky-btn cky-btn-reject" aria-label="Reject All" data-cky-tag="reject-button" style="color:#1863dc;background-color:transparent;border-color:#1863dc" >Reject All</button>
```

```
<button class="cky-btn cky-btn-accept" aria-label="Accept All" data-cky-tag="accept-button" style="color:#FFFFFF;background-color:#1863dc;border-color:#1863dc" >Accept All</button>
```

```
<button class="elementor-button elementor-size-sm" type="submit" > <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">REQUEST</span> </span> </button>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 2" aria-current="true" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 3" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 4" ></span>
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev" role="button" tabindex="0" aria-label="Previous slide" aria-controls="swiper-wrapper-dab61dab7afaba20" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-left" vie ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="button" tabindex="0" aria-label="Next slide" aria-controls="swiper-wrapper-dab61dab7afaba20" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-right" viewBo ...
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	14	0	100
---	---	-----	----	---	-----

Successful Elements

```
<button class="cky-btn cky-btn-customize" aria-label="Customize" data-cky-tag="settings-button" style="color:#1863dc;background-color:transparent;border-color:#1863dc" >Customize</button>
```

```
<button class="cky-btn cky-btn-reject" aria-label="Reject All" data-cky-tag="reject-button" style="color:#1863dc;background-color:transparent;border-color:#1863dc" >Reject All</button>
```

```
<button class="cky-btn cky-btn-accept" aria-label="Accept All" data-cky-tag="accept-button" style="color:#FFFFFF;background-color:#1863dc;border-color:#1863dc" >Accept All</button>
```

```
<button class="elementor-button elementor-size-sm" type="submit" > <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">REQUEST</span> </span> </button>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 2" aria-current="true" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 3" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 4" ></span>
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev" role="button" tabindex="0" aria-label="Previous slide" aria-controls="swiper-wrapper-dab61dab7afaba20" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-left" vie ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="button" tabindex="0" aria-label="Next slide" aria-controls="swiper-wrapper-dab61dab7afaba20" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-right" viewBo ...
```

- 3 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

18

0

100

Successful Elements

```
<a href="tel:818-758-4076" > <span class="elementor-icon-list-icon"> <svg aria-hidden="true" class="e-font-icon-svg e-fas-phone" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg"><path d="M493.4 24.6l-104-24c-11.3-2.6-22.9 ...
```

```
<a href="mailto:info@engage-forward.com" > <span class="elementor-icon-list-icon">
<svg aria-hidden="true" class="e-font-icon-svg e-fas-envelope" viewBox="0 0 512 512"
xmlns="http://www.w3.org/2000/svg"><path d="M502.3 190.8c3.9-3 ...
```

```
<a href="https://blvmpyjo.elementor.cloud/careers/" > <span class="elementor-icon-l
ist-icon"> <svg aria-hidden="true" class="e-font-icon-svg e-fas-blog" viewBox="0 0
512 512" xmlns="http://www.w3.org/2000/svg"><path d="M172.2 226....
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin-in el
ementor-repeater-item-4bbb2ee" href="https://www.linkedin.com/company/engage-forwar
d" target="_blank" > <span class="elementor-screen-only">Linkedin-in</span> ...
```

```
<a href="https://blvmpyjo.elementor.cloud" > Home</a>
```

```
<a href="https://blvmpyjo.elementor.cloud/services/" class="elementor-item" >Servic
es</a>
```

```
<a href="https://blvmpyjo.elementor.cloud/careers/" class="elementor-item" >Blog</a
>
```

```
<a href="https://blvmpyjo.elementor.cloud/about/" class="elementor-item" >About</a>
```

```
<a href="https://blvmpyjo.elementor.cloud/contact-us/" class="elementor-item" >Cont
act Us</a>
```

4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	2	0	100
---	--	-----	---	---	-----

Successful Elements

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin-in el
ementor-repeater-item-4bbb2ee" href="https://www.linkedin.com/company/engage-forwar
d" target="_blank" > <span class="elementor-screen-only">Linkedin-in</span> ...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin eleme
ntor-animation-grow elementor-repeater-item-672f1ca" href="https://www.linkedin.co
m/company/engage-forward/" target="_blank" > <span class="elementor-screen-only ...
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	-	Fail	0
---	--	-----	---	------	---

Failed Elements

```
<p class="cky-title" role="heading" aria-level="1" data-cky-tag="title" style="color:#212121">We value your privacy</p>
```

```
<h1 class="elementor-heading-title elementor-size-default">Empowering Growth</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	21	0	100
---	---	-----	----	---	-----

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	Yes	0	4	0
---	--	-----	---	---	---

Failed Elements

```
<div class="elementor-counter-title">Companies Engaged Since 2018</div>
```

```
<div class="elementor-counter-title">Return Every $1 Invested</div>
```

```
<div class="elementor-counter-title">Recommend Engage's services</div>
```

```
<span class="elementor-testimonial__name">Job Instruction Participant</span>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100
---	--	-----	------	---	-----

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	9	0	100
---	---	-----	---	---	-----

Successful Elements

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 2" aria-current="true" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 3" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 4" ></span>
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev" role="button" tab
index="0" aria-label="Previous slide" aria-controls="swiper-wrapper-dab61dab7afaba2
0" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-left" vie ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="button" tab
index="0" aria-label="Next slide" aria-controls="swiper-wrapper-dab61dab7afaba20" >
<svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-right" viewBo ...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100
----	---	-----	------	---	-----

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0
----	--	----	---	---

12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	-	Fail	0
----	---	-----	---	------	---

Failed Elements

```
<a class="skip-link screen-reader-text" href="#content" >Skip to content</a>
```

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0
----	---	----	---	---

14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0
----	---	----	---	---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<nav class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-me
nu--layout-horizontal e--pointer-underline e--animation-fade"> <ul id="menu-1-7c7bb
18" class="elementor-nav-menu" data-smartmenus-id="17170981051453147" ><li class ...
```

16 Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true". No 0 0

17 Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown. No 0 0

18 Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. Yes 6 6 **50**

Successful Elements

```

```

Failed Elements

```
 </div>
```

```
<div class="elementor-element elementor-element-5c76d2cc e-con-full e-flex e-con e-
child" data-id="5c76d2cc" data-element_type="container" data-settings="{&quot;backg
round_background&quot;:&quot;;&quot;classic&quot;}"> </div>
```

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	12	12	50
----	---	-----	----	----	----

Successful Elements

```
<i class="cky-chevron-right" ></i>
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-phone" viewBox="0 0 512 512" x
mlns="http://www.w3.org/2000/svg" ><path d="M493.4 24.6l-104-24c-11.3-2.6-22.9 3.3-
27.5 13.9l-48 112c-4.2 9.8-1.4 21.3 6.9 28l60.6 49.6c-36 76.7-98.9 140.5-177.2 177.
2 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-envelope" viewBox="0 0 512 51
2" xmlns="http://www.w3.org/2000/svg" ><path d="M502.3 190.8c3.9-3.1 9.7-.2 9.7 4.7
V400c0 26.5-21.5 48-48 48H48c-26.5 0-48-21.5-48-48V195.6c0-5 5.7-7.8 9.7-4.7 22.4 1
7....
```



```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-blog" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg" ><path d="M172.2 226.8c-14.6-2.9-28.2 8.9-28.2 23.8V301c0 10.2 7.1 18.4 16.7 22 18.2 6.8 31.3 24.4 31.3 45 0 26.5-21.5 48-48 48s-48-21.5 1 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-left" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" ><path d="M646 125C629 125 613 133 604 142L308 442C296 454 292 471 292 487 292 504 296 521 308 533L604 854C617 867 629 875 5 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-right" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" ><path d="M696 533C708 521 713 504 713 487 713 471 708 454 696 446L400 146C388 133 375 125 354 125 338 125 325 129 313 134 ...
```

```
<span class="swiper-notification" aria-live="assertive" aria-atomic="true" ></span>
```

Failed Elements

```
<span class="cky-footer-shadow" style="background: linear-gradient(rgba(255, 255, 255, 0) 0%, rgba(255, 255, 255) 100%);" ></span>
```

```
<svg class="e-font-icon-svg e-fab-linkedin-in" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg" ><path d="M100.28 448H7.4V148.9h92.88zM53.79 108.1C24.09 108.1 83.5 0 53.8a53.79 53.79 0 0 1 107.58 0c0 29.7-24.1 54.3-53.79 54.3zM447.9 448h-92 ...
```

```
<span class="elementor-counter-number-prefix"></span>
```

```
<span class="elementor-counter-number-suffix"></span>
```

```
<span class="elementor-divider-separator"> </span>
```

```
<span style="color: var( --e-global-color-primary ); font-family: var( --e-global-typography-secondary-font-family ), Sans-serif; font-size: var( --e-global-typography-secondary-font-size ); font-style: var( --e-global-typography-secondary-font-style ...
```

```
<svg class="e-font-icon-svg e-fab-linkedin" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg" ><path d="M416 32H31.9C14.3 32 0 46.5 0 64.3v383.4C0 465.5 14.3 480 31.9 480H416c17.6 0 32-14.5 32-32.3V64.3c0-17.8-14.4-32.3-32-32.3zM135.4 416H69V2 ...
```

```
<span id="elementor-device-mode" class="elementor-screen-only" ></span>
```

```
<svg style="display: none;" class="e-font-icon-svg-symbols" ></svg>
```

Failed Elements

```
<figure class="elementor-image-box-img">
```

```
<figure class="elementor-image-box-img">
```

```
<figure class="elementor-image-box-img">
```

```
<figure class="elementor-image-box-img"> ...
```

```
<figure class="elementor-image-box-img">
```

```
<figure class="elementor-image-box-img">
```

```
<figure class="elementor-image-box-img">
```

```
<figure class="elementor-image-box-img">
```

22 Every "area" element of a "map" tag should be regarded No 0 0
as a standard image and receive an alternative text
description using an "alt" attribute.

23 Small or hidden tracker pixel images (often used for No 0 0
analytics or marketing purposes) should include a "role"
attribute that equals to "none" or "presentation" so they
are excluded from screen-readers.

24

Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).

Yes

6

0

100

Successful Elements

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Email" required="required" aria-required="true">
```

```
<input size="1" type="text" name="form_fields[name]" id="form-field-name" class="elementor-field elementor-size-md elementor-field-textual" placeholder="Full Name">
```

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-md elementor-field-textual" placeholder="Email" required="required" aria-required="true">
```

```
<input size="1" type="tel" name="form_fields[field_d4c28c7]" id="form-field-field_d4c28c7" class="elementor-field elementor-size-md elementor-field-textual" placeholder="Phone" pattern="[0-9()#&+*-=.]+>
```

```
<input size="1" type="text" name="form_fields[field_2a73769]" id="form-field-field_2a73769" class="elementor-field elementor-size-md elementor-field-textual" placeholder="Subject">
```

```
<textarea class="elementor-field-textual elementor-field elementor-size-md" name="form_fields[message]" id="form-field-message" rows="4" placeholder="Tell Us More"></textarea>
```

25

Form elements cannot have the same ID, or else their corresponding label will provide false information.

Yes

0

2

0

Failed Elements

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-md elementor-field-textual" placeholder="Email" required="required" aria-required="true">
```

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Email" required="required" aria-required="true">
```

26

Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.

Yes

0

3

0

Failed Elements

```
<input size="1" type="text" name="form_fields[name]" id="form-field-name" class="elementor-field elementor-size-md elementor-field-textual" placeholder="Full Name">
```

```
<input size="1" type="tel" name="form_fields[field_d4c28c7]" id="form-field-field_d4c28c7" class="elementor-field elementor-size-md elementor-field-textual" placeholder="Phone" pattern="[0-9()#&+*=-.]+ " title="Only numbers and phone characters ( ...
```

```
<input size="1" type="text" name="form_fields[field_2a73769]" id="form-field-field_2a73769" class="elementor-field elementor-size-md elementor-field-textual" placeholder="Subject">
```

27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0
----	---	----	---	---

28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0
----	---	----	---	---

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	2	0	100
----	---	-----	---	---	-----

Successful Elements

```
<form class="elementor-form" method="post" name="Complimentary Assessment Form"> <input type="hidden" name="post_id" value="107" > <input type="hidden" name="form_id" value="84fb907" > <input type="hidden" name="referrer_title" value="Home - ...
```

```
<form class="elementor-form" method="post" name="Contact Form"> <input type="hidden" name="post_id" value="107" > <input type="hidden" name="form_id" value="199a3416" > <input type="hidden" name="referrer_title" value="Home - Engage Forward" ...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0
----	---	----	---	---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<title>Home - Engage Forward</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<html lang="en-US"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="https://gmpg.org/xfn/11"> <meta name="robots" content="index, follow, max-image-preview:large, max-sni...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	2	1	67
----	---	-----	---	---	----

Successful Elements

```
<footer data-elementor-type="footer" data-elementor-id="65" class="elementor elementor-65 elementor-location-footer" data-elementor-post-type="elementor_library"> <div class="elementor-element elementor-element-6bff2755 e-flex e-con-boxed e-con e-...>
```

Failed Elements

```
<div class="e-con-inner"> <div class="elementor-element elementor-element-63b1ac62 elementor-widget elementor-widget-heading animated fadeInUp" data-id="63b1ac62" data-element_type="widget" data-settings="{&quot;_animation&quot;:&quot;fadeInUp&quot;...>
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	0	6	0
----	---	-----	---	---	---

Failed Elements

```
<div class="elementor-widget-container"> <style >/*! elementor - v3.23.0 - 26-05-2024 */ .elementor-widget-social-icons.elementor-grid-0 .elementor-widget-container, .elementor-widget-social-icons.elementor-grid-mobile-0 .elementor-widget-container ...>
```

```
<div class="elementor-social-icons-wrapper elementor-grid"> <span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin-in elementor-repeater-item-4bbb2ee" href="https://www.linkedin.co ...>
```

```
<span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin-in elementor-repeater-item-4bbb2ee" href="https://www.linkedin.com/company/engage-forward" target="_blank" > <span class="elem...
```

```
<div class="elementor-widget-container"> <div class="elementor-social-icons-wrapper elementor-grid"> <span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin elementor-animation...
```

```
<div class="elementor-social-icons-wrapper elementor-grid"> <span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin elementor-animation-grow elementor-repeater-item-672f1ca" href="h...
```

```
<span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin elementor-animation-grow elementor-repeater-item-672f1ca" href="https://www.linkedin.com/company/engage-forward/" target="_blank" > ...
```

36 Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. Yes Pass - 100

37 Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color. Yes 77 0 100

Successful Elements

```
<p class="cky-title" role="heading" aria-level="1" data-cky-tag="title" style="color:#212121">We value your privacy</p>
```

```
<p>We use cookies to enhance your browsing experience, serve personalized ads or content, and analyze our traffic. By clicking "Accept All", you consent to our use of cookies.</p>
```

```
<button class="cky-btn cky-btn-customize" aria-label="Customize" data-cky-tag="settings-button" style="color:#1863dc;background-color:transparent;border-color:#1863dc" >Customize</button>
```

```
<button class="cky-btn cky-btn-reject" aria-label="Reject All" data-cky-tag="reject-button" style="color:#1863dc;background-color:transparent;border-color:#1863dc" >Reject All</button>
```

```
<button class="cky-btn cky-btn-accept" aria-label="Accept All" data-cky-tag="accept-button" style="color:#FFFFFF;background-color:#1863dc;border-color:#1863dc" >Accept All</button>
```

```
<span class="elementor-icon-list-text">607-215-1840</span>
```

```
<span class="elementor-icon-list-text">Message Us</span>
```

```
<span class="elementor-icon-list-text">Blogs & Articles</span>
```

```
<a href="https://blvmpyjo.elementor.cloud/" aria-current="page" class="elementor-item elementor-item-active" >Home</a>
```

```
<a href="https://blvmpyjo.elementor.cloud/services/" class="elementor-item" >Services</a>
```

38 Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo". No 0 0

39 Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. No 0 0

40 A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements. No 0 0

41 Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text. Yes 7 0 100

Successful Elements

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 2" aria-current="true" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 3" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 4" ></span>
```

42 Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table. No 0 0

43 If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation". No 0 0

44	Tables that are missing a THEAD row with TH elements, No should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.		0	0
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0
47	Ratings/scores that are represented visually using stars, No meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0
48	Making use of an accessibility interface helps to ensure No that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0